Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26	"3927369" "3715686"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 15:46
L2	2	1 and (wireless\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:22
L3	275	"5,261,278" "7,086,593" "6,359,444" "5,173,640" "5,119,034" "5,101,103" "6980688" "5969260" "4196398" "6359444" "4897541" "7034660" "6354152" "4,651,571" "4,843,346" "5,181,423" "5,227,798" "5,433,115" "5,703,576" "5,764,161" "5,821,425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:10
L4	133	3 and (wireless\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:11
L5	71	4 and (electromagnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:25
L6	71	5 and (strain stress load\$4 force pressure )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:24
L7	68	6 and (transfer\$4 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:12

L8	51	7 and (interrogat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2007/06/05 16:17
L9	29	8 and (amplifier )	IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:13
L10	32	8 and (dielectric )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:13
L11	23	9 and (dielectric )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:13
L12	5	1 and (wire\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:20
L13	79	73/773.ccis.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:20
L14	12	13 and (electromagnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:22

L15	12	14 and (strain stress load\$4 force pressure )	US-PGPUB; USPAT;	OR	ON	2007/06/05 16:22
			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
L16	1	15 and (wireless\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:24
L17	6	15 and (wire\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:23
L18	1129520	(strain stress load\$4 force pressure ). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:35
L19	32206	18 and (wireless\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:24
L20	7409	19 and (electromagnet\$4 resonator )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:38
L21	1019	20 and (interrogat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:25

L22	987	21 and (transfer\$4 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:36
L23	223	22 and (dielectric )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:26
L24	108	23 and (amplifier )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:26
L25	81	24 and (cavity )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:27
L26	63	25 and (magnitude )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:27
L27	60	26 and (coupler coupling )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:27
L28	21	("2520602"   "2520604"   "2580968"   "3514703").PN. OR ("3927369").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 16:33
L29	9	28 and (cavity )	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 16:34
L30	9	1 and (cavity )	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 16:35

Page 4

L31	9	30 and (strain stress load\$4 force pressure )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:39
L32	8	31 and (transfer\$4 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:38
L33	515	324/642.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:38
L34	76	33 and (electromagnet\$4 resonator ). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:38
L35	14	34 and (strain stress load\$4 force pressure ).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:39
L36		35 and (cavity )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 16:39